

Cambridge IGCSE™

BIOLOGY
Paper 6 Alternative to Practical
MARK SCHEME
Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2024 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

Cambridge IGCSE – Mark Scheme

PUBLISHED

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond
 the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

- 1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
- 2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
- Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
- The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 <u>'List rule' guidance</u>

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards *n*.
- Incorrect responses should not be awarded credit but will still count towards *n*.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark scheme abbreviations

• ; separates marking points

• I alternative responses for the same marking point

R reject the response
A accept the response
I ignore the response
ecf error carried forward
AVP any valid point

ora or reverse argumentAW alternative wording

• underline actual word given must be used by candidate (grammatical variants excepted)

• () the word / phrase in brackets is not required but sets the context

Question	Answer	Marks		Guidance
1(a)(i)	table drawn with minimum two columns and a header line;	3	minimum table e.g.	
	appropriate column / row headings, with units for height of foam;		sample	height of foam / mm
	recording of two correct heights;		potato apple	28 ±1 9 ±1
1(a)(ii)	there is greater catalase activity in potato than in apple / there is more catalase in potato than in apple / AW; ora	1		
1(a)(iii)	<pre>independent: species / type of plant / type of tissue; dependent: height of foam;</pre>	2		
1(a)(iv)	any two from: concentration of hydrogen peroxide (solution); volume of hydrogen peroxide (solution); time; size / number, of pieces (of plant tissue);	2		
1(a)(v)	error in step 8: hard to determine the maximum height / (surface of the) foam is uneven;	2		
	improvement: measure the volume of gas produced;			of method used to measure the volume of gas collect the gas, under water in a measuring as syringe

Question	Answer	Marks	Guidance
1(a)(vi)	hazard: cutting; method of reducing risk: cut, on a hard surface / away from self; OR hazard: hydrogen peroxide; method of reducing risk: (wear) gloves / goggles;	2	hazard and method of reducing risk must match
1(b)	test: add <u>DCPIP</u> (solution); result: (solution) decolorises / AW;	2	A colourless / clear / transparent

Question	Answer	Marks	Guidance
1(c)	total of six from:	6	
	independent variable: 1 two temperatures;		
	dependent variable: 2 time taken for, a positive result for reducing sugar / negative result for starch;		
	 3 & 4 details of method;; max two from: method of maintaining two temperatures use of iodine test or / use of Benedict's test idea of taking samples at intervals 		
	5 & 6 constant variables ;; max two from:		
	7 two or more repeats ;		
	8 relevant safety precaution ;		

Question	Answer	Marks	Guidance
2(a)(i)	single clear unbroken outline; size greater than half of space provided; detail 1: dark circle in the top of the capitulum and two parallel lines on the left side of the capitulum; detail 2: fibres around the operculum;	4	
2(a)(ii)	92 ±2 (mm); (×)20 / (×)21;;	3	MP1 correct measurement of line PQ MP2 correct calculation of magnification to any number of decimal places MP3 correct rounding to a whole number R MP2 if unit of measurement given with the calculated value ecf from previous mark point if supported by working
2(a)(iii)	any three from: Acrophylla is larger; ora Acrophylla has rounded ends / Lonchodes has flattened ends; Acrophylla has hole at the tip / Lonchodes has a projection; Acrophylla has a flattened area with no holes (at the front) / Lonchodes does not have a flattened area (at the front); Lonchodes has a base / Acrophylla does not have a base; the patterns on the surface;	3	AW throughout
2(b)(i)	start: 52 / 53 / 54 (mm) and after 30 minutes: 16 / 17 / 18 (mm) ;	1	

Question	Answer	Marks	Guidance
2(b)(ii)	7.065/7.07/7.1/7 (mm³) ;;	2	MP1 correct calculation of difference from $2(b)(i)$ as 36 (mm) MP2 correctly calculating volume of the cylinder (using the formula $\pi r^2 h$) with a radius 0.25 mm and length 36 mm to any number of decimal places ecf from incorrect MP1
2(b)(iii)	0.2 / 0.23 / 0.24, (mm³ per minute) ;	1	ecf from 2(b)(ii) A answer to 2(b)(ii) divided by 30 to any number of decimal places
2(c)(i)	axes labelled with units; suitable linear scale and data occupies at least half the grid in both directions; five points plotted accurately ± half a small square; suitable line drawn;	4	
2(c)(ii)	correct value from candidate's line on the graph; intercept indicated on candidate's graph;	2	