

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

CHEMISTRY 0620/43

Paper 4 Theory (Extended)

May/June 2020

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION


- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.





1 (a) The structures of five organic compounds, A, B, C, D and E, are shown.

Answer the questions that follow.

Each letter may be used once, more than once or not at all.







H H H | | | H—C—C—C—O—H | | |

D

Ε

(i) Give the letter of the compound that is propan-1-ol.

......[1]

(ii) Give the letter of the compound that has the empirical formula CH₂.

.....[1]

(iii) Give the letter of **one** compound that reacts with bromine in an addition reaction.

.....[1]

(iv) Give the letter of **one** compound that reacts with chlorine to form the compound shown.

.....[1]

(v) Give the letters of **two** compounds that can react with each other to form an ester.

...... and[1]

(vi) Give the letter of the compound that is in the same homologous series as hex-1-ene.

______[1]

(vii) Give the letter of one compound that is an acid.

[1]

(viii) Draw a structural isomer of compound **D**.

	Show all of the atoms and all of the bonds.	
		[1]
(b)	Some acids are described as weak acids.	
	State the meaning of the term weak acid.	
	weak	
	acid	
		[2]
		[Total: 10]

2 Ammonia is manufactured by the Haber proces	Α	Α	۱n	nı	n	O	ni	ia	į	s	man	ufa	ct	ure	d	bv	the	ŀ	Hab	er	pr	00	ces	3	s
---	---	---	----	----	---	---	----	----	---	---	-----	-----	----	-----	---	----	-----	---	-----	----	----	----	-----	---	---

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

(i) State what is meant by the symbol

[1]

(ii) State **one** source of hydrogen used in the manufacture of ammonia.

(b) The table shows some data for the production of ammonia.

pressure /atm	temperature /°C	percentage yield of ammonia
250	350	58
100	450	28
400	450	42
250	550	20

Deduce the effect on the percentage yield of ammonia of:

•	increasing the pressure of the reaction	
•	increasing the temperature of the reaction.	
••••		 [2]

(c)	Explain, in terms of particles, what happens to the rate of this reaction when the temperature is increased.

(d)	Ammonia, NH_3 , is used to produce nitric acid, HNO_3 . This happens in a three-stage process.
	Stage 1 is a redox reaction.
	4NH + 50

	$4NH_3 + 5O_2 \rightarrow 4NO + 6H_2O$	
(i)	Identify what is oxidised in stage 1 .	
	Give a reason for your answer.	
	substance oxidised	
	reason	
		[2]
(ii)	In this reaction the predicted yield of NO is 512 g. The actual yield is 384 g.	
	Calculate the percentage yield of NO in this reaction.	
	percentage yield of NO =	[1]
(iii)	The equation for the reaction in stage 2 is shown.	
	2NO + $O_2 \rightarrow 2NO_2$	
	Which major environmental problem does NO ₂ cause if it is released into the atmosphe	re?

(iv) The equation for the reaction in stage 3 is shown.

$$4NO_2 + 2H_2O + O_2 \rightarrow 4HNO_3$$

Calculate the volume of $\rm O_2$ gas, at room temperature and pressure (r.t.p.), needed to produce 1260 g of HNO $_3$. Use the following steps.

Calculate the number of moles of HNO₃.

moles of HNO₃ =

Deduce the number of moles of O₂ that reacted.

moles of O_2 =


• Calculate the volume of O₂ gas that reacts at room temperature and pressure (r.t.p.).

volume of
$$O_2$$
 gas = dm³

(e) The reaction in stage 3 is exothermic.

$$4NO_2 + 2H_2O + O_2 \rightarrow 4HNO_3$$

Complete the energy level diagram for this reaction. Include an arrow that clearly shows the energy change during the reaction.



[3]

[Total: 18]

3	Chlorine	is in	Group	VII of the	Periodic	Table.
~		10 11 1	Oloup	V 11 O1 1110	i ciicaic	I GOIC.

(ii) Complete the table to show the number of electrons, neutrons and protons in each atom and ion.

.....[2]

	number of electrons	number of neutrons	number of protons
³⁵ C <i>l</i>			
³⁷ C <i>l</i> ⁻			

[3]

(b) (i) Chlorine reacts with aqueous sodium bromide.

The equation for the reaction is shown.

$$Cl_2$$
 + 2NaBr \rightarrow 2NaC l + Br₂

State the type of reaction shown.

_____[1]


(ii) Why is there ${f no}$ reaction between iodine and aqueous sodium bromide?


.....[1]

(c) Magnesium reacts with chlorine to form magnesium chloride.

Complete the dot-and-cross diagram to show the electron arrangement of the ions in magnesium chloride. Give the charges on the ions.

The inner shells have been completed.





[3]

(d) Hydrog	den and cr	norme rea	act to	torm n	varoaen	chioride di	as. as	, snown in	tne e	eduation
------------	------------	-----------	--------	--------	---------	-------------	--------	------------	-------	----------

$$H_2 + Cl_2 \rightarrow 2HCl$$

This equation can be represented as shown.

$$H-H + Cl-Cl \rightarrow 2H-Cl$$

Some bond energies are shown in the table.

bond	bond energy in kJ/mol
H–H	436
Cl-Cl	243
H–C1	432

Calculate the energy change for the reaction between hydrogen and chlorine, using the following steps.

 Calculate the energy needed to break the bo 	onds
---	------

k.

Calculate the energy released when bonds are formed.

• Calculate the energy change for the reaction.

.....kJ/mol [3]

[Total: 13]


4 (a) Fil	ation and chlorination are two stages in water treatment.									
	Sta	State the purpose of each stage.									
	filtı	filtration									
	ch	prination									
		[2									
(b) As	A student uses anhydrous copper(II) sulfate to test for the presence of water.									
	(i)	What colour change is seen if water is present?									
		from to	[2]								
	(ii)	The purity of a sample of water can be assessed by measuring its boiling point.									
		How is the boiling point of water affected by impurities?									
			[1]								
		diagram shows the chromatogram of a coloured substance. **Solvent front** **Start line**									
	(i)	How does this chromatogram show that this substance is not pure?									
			[1]								
	(ii)	Draw a circle round the correct $R_{\rm f}$ value for the spot labelled ${\bf X}$.									
		0.2 0.4 0.8 1.2	[1]								
	(iii)	State how a colourless substance can be made visible on a chromatogram.									
			[1]								
		[Total:	8]								

5 (a) Complete the table about solids, liquids and gases.

	particle separation	particle arrangement	type of motion
solid		regular	vibrate only
liquid	touching		random
gas	apart	random	

[3]

(b) The graph shows the change in temperature as a sample of a gas is cooled.



Name the change of state taking place between **A** and **B**.

[1]
<u>-</u>	-

(c) A bottle of liquid perfume is left open at the front of a room.

After some time, the perfume is smelt at the back of the room.

Name the **two** physical processes taking place.

a	
П	

2

[Total: 6]

[2]


6


(a) /	An endothermic reaction occurs when calcium nitrate is heated.	
((i) Balance the equation for this reaction.	
	$Ca(NO_3)_2 \rightarrowCaO +NO_2 +O_2$	[1]
(i	(ii) State the type of reaction shown by the equation.	
		[1]
(b) l	Describe the test for a nitrate ion.	
t	test	
ı	result	
		[3]
	[To	otal: 5]

Alumini	um is extracted by electrolysis. Iron is extracted from its ore by reduction with carbon.	
	nat is meant by the term <i>electrolysis</i> ?	
		[2]
(b) Na	me the main ore of aluminium.	[1]
(c) (i)	Explain why aluminium cannot be extracted by reduction with carbon.	[1]
(ii)	Describe the role of cryolite in the extraction of aluminium by electrolysis.	[1]
(iii)	Name the product formed at the positive electrode.	[1]
(iv)	Write the ionic half-equation for the reaction at the negative electrode.	[2]
	minium is used in overhead electricity cables.	
	re two properties of aluminium that make it suitable for use in overhead electricity cable	
2		 [2]

(e)	Iror	is a transition element.
	(i)	Iron forms hydrated iron(III) oxide when it rusts.
		Write a word equation to represent the formation of rust.
		[2]
	(ii)	Give two ways in which the properties of transition elements differ from the properties of Group I metals.
		1
		2
		[2]
		[Total: 14]

8 (a) Part of the synthetic polymer, nylon, is shown in the diagram.





[Total: 6]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

		2	He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	格	radon			
					o	ш	fluorine 19	17	Cl	chlorine 35.5	35	Б	bromine 80	53	П	iodine 127	85	¥	astatine -			
	>				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	Тe	tellurium 128	84	Ъ	moloum –	116	_	livermorium -
	>				7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	<u>B</u>	bismuth 209			
	≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Ŀ	flerovium -
	≡				2	В	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	<u>В</u>	cadmium 112	80	Ρ̈́	mercury 201	112	S	copernicium
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
	dnoib										28	Z	nickel 59	46	Pd	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium -
ئ ا	<u>5</u>				,						27	ပိ	cobalt 59	45	R	rhodium 103	77	٦	iridium 192	109	Σ	meitnerium -
		-	I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium
								1			25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
					_	loq	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>n</u>	tantalum 181	105	op O	dubnium –
						atc	rel				22	F	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	Ŗ	rutherfordium -
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	88	ഗ്	strontium 88	26	Ba	barium 137	88	Ra	radium
	_				က	=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Вb	rubidium 85	22	S	caesium 133	87	Ļ	francium -

71	lutetium 175	103	ב	lawrencium	ı
0 X	ytterbium 173	102	%	nobelium	ı
69 L	thulium 169	101	Md	mendelevium	I
88 7	erbium 167	100	Fm	fermium	1
⁶⁷	holmium 165	66	Es	einsteinium	I
99	dysprosium 163	86	ŭ	californium	ı
65 T	terbium 159	97	BK	berkelium	1
₆₄	gadolinium 157	96	Cm	curium	ı
83 <u>T</u>	europium 152	92	Am	americium	ı
62 Sm	samarium 150	94	Pu	plutonium	ı
61 D	promethium	93	δ	neptunium	ı
09 Z	neodymium 144	92	\supset	uranium	238
59 7	praseodymium 141	91	Ра	protactinium	231
₈₈ م	cerium 140	06	Ч	thorium	232
57	lanthanum 139	68	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).