

# Cambridge IGCSE<sup>™</sup>

CHEMISTRY 0620/11

Paper 1 Multiple Choice (Core)

October/November 2022

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **INSTRUCTIONS**

There are forty questions on this paper. Answer all questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

### **INFORMATION**

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



1 Which row describes the spacing and arrangement of particles in a solid, a liquid and a gas?

	solid	liquid	gas
Α	close together and randomly arranged	close together and regularly arranged	far apart and randomly arranged
В	close together and randomly arranged	far apart and randomly arranged	close together and randomly arranged
С	close together and regularly arranged	close together and randomly arranged	far apart and randomly arranged
D	close together and regularly arranged	close together and regularly arranged	close together and randomly arranged

- 2 Which piece of apparatus is used to measure exactly 25.0 cm<sup>3</sup> of hydrochloric acid?
  - A beaker
  - **B** burette
  - C conical flask
  - **D** test-tube
- 3 A mixture contains salt, sand and sulfur.

Salt dissolves in water but not in xylene.


Sulfur dissolves in xylene but not in water.

Sand does not dissolve in water or xylene.

What is the order of the processes used to separate the salt, the sand and the sulfur from the mixture?

- **A** add water  $\rightarrow$  filter  $\rightarrow$  add xylene to the filtrate  $\rightarrow$  filter
- **B** add water  $\rightarrow$  filter  $\rightarrow$  add xylene to the residue  $\rightarrow$  filter
- $\mathbf{C}$  add xylene  $\rightarrow$  filter  $\rightarrow$  add water to the filtrate  $\rightarrow$  filter
- **D** add xylene  $\rightarrow$  filter  $\rightarrow$  add xylene to the residue  $\rightarrow$  filter

4 The structure of an atom is shown.



Which row shows the nucleon number and proton number of this atom?

	nucleon number	proton number
Α	9	10
В	19	10
С	10	9
D	19	9

- **5** Which statement about an alloy is correct?
  - **A** It is a compound made of two or more elements, one of which is a metal.
  - **B** It is a layer of a metal plated onto another metal.
  - **C** It is a mixture of a metal with one or more other elements.
  - **D** It is a single element.
- **6** Which statements about potassium bromide are correct?
  - 1 It has a high melting point.
  - 2 It dissolves in water.
  - 3 It conducts electricity when solid.
  - **A** 1 and 2 **B** 1 and 3 **C** 2 and 3 **D** 3 only

7 Which row describes the bonding in graphite and a use of graphite?

	bonding in graphite	a use of graphite
A	each atom is bonded covalently to three other atoms	in cutting tools
В	each atom is bonded covalently to three other atoms	as an electrical conductor
С	each atom is bonded covalently to four other atoms	in cutting tools
D	each atom is bonded covalently to four other atoms	as an electrical conductor

8 Caffeine is a stimulant found in coffee.

$$\begin{array}{c|c} & & & & \\ & &$$

caffeine

Which formula represents caffeine?

**A**  $C_7H_{10}N_4O_2$ 

**B**  $C_8H_{10}N_3O_2$ 

 $C = C_8H_{10}N_4O_2$ 

 $D C_8H_{11}N_4O_2$ 

**9** The fuel ethane,  $C_2H_6$ , burns in air to form carbon dioxide and water.

$$2C_2H_6 + 7O_2 \rightarrow 4CO_2 + 6H_2O$$

Which statement about burning ethane is correct?

- A When one molecule of ethane burns, one molecule of water is formed.
- **B** The number of atoms at the end of the reaction is the same as at the start.
- **C** During the reaction there is a decrease in the number of molecules.
- **D** The reaction is endothermic.

- 10 Which statement about the electrolysis of concentrated aqueous sodium chloride is correct?
  - **A** Chlorine is produced at the positive electrode.
  - **B** Hydrogen is produced at the positive electrode.
  - **C** Oxygen is produced at the negative electrode.
  - **D** Sodium is produced at the negative electrode.
- 11 When an acid is added to an alkali, the temperature of the reaction mixture rises.

Which words describe this reaction?

- **A** decomposition and endothermic
- **B** decomposition and exothermic
- C neutralisation and endothermic
- **D** neutralisation and exothermic
- **12** Some properties of four fuels are shown.

Which fuel is a gas at room temperature and makes two products when it burns in a plentiful supply of air?

	fuel	formula	melting point /°C	boiling point /°C
Α	hydrogen	$H_2$	-259	-253
В	methane	CH₄	-182	-164
С	octane	C <sub>8</sub> H <sub>18</sub>	<b>–</b> 57	126
D	wax	C <sub>31</sub> H <sub>64</sub>	60	400

- 13 Which process is a physical change?
  - A burning wood
  - **B** cooking an egg
  - **C** melting an ice cube
  - **D** rusting iron


**14** A student adds excess zinc to dilute hydrochloric acid at 25 °C.

The hydrogen gas produced is collected and measured at room temperature and pressure.

The results are plotted and labelled as curve X on the graph.

The experiment is repeated at 50 °C with all other conditions remaining the same.

Which graph shows the results at 50 °C?



**15** Substance Y is a pink solid.

When substance Y is heated gently it becomes a blue solid.

When the blue solid is cooled down it remains blue.

When water is added to the blue solid it becomes pink.

What is substance Y?

- A anhydrous cobalt(II) chloride
- **B** anhydrous copper(II) sulfate
- **C** hydrated cobalt(II) chloride
- **D** hydrated copper(II) sulfate


**16** When magnesium is heated with zinc oxide a reaction occurs.

The equation is shown.

$$Mg + ZnO \rightarrow MgO + Zn$$

Which substance is oxidised?

- A magnesium
- B magnesium oxide
- C zinc
- **D** zinc oxide
- **17** The diagram shows an experiment.



A small volume of aqueous P is poured on to solid Q and the tap of the funnel closed.

Which pairs of substances cause the syringe to fill with gas?

	HNO₃ and Mg	HC <i>l</i> and Cu	H <sub>2</sub> SO <sub>4</sub> and Na <sub>2</sub> CO <sub>3</sub>
Α	✓	✓	✓
В	✓	✓	X
С	✓	X	✓
D	X	✓	✓

18 Part of the Periodic Table is shown.

1												3			
													4		
	2														

Which elements form basic oxides?

- **A** 1 and 2
- **B** 1 and 3
- **C** 2 and 4
- **D** 3 and 4

19 Aqueous ammonium sulfate is made by reacting aqueous ammonia with dilute sulfuric acid.


How is solid ammonium sulfate obtained from the resulting solution?

- **A** crystallisation
- **B** distillation
- **C** filtration
- D solvent extraction

20 Which statement about the Periodic Table is correct?

- **A** Elements in the same group have the same number of electron shells.
- **B** Elements are arranged in order of increasing proton number.
- **C** Metals are on the right and non-metals are on the left.
- **D** The most reactive elements are at the bottom of every group.
- 21 Part of the Periodic Table is shown.

Which element conducts electricity?



**22** Some information about properties of Group I elements is shown.

element	melting point /°C	density in g/cm <sup>3</sup>
lithium	181	0.53
sodium	98	0.97
potassium	Χ	
rubidium	Υ	Z

What are the values for X, Y and Z?

	Х	Y	Z
Α	63	252	0.26
В	63	39	0.26
С	39	63	1.53
D	63	39	1.53

**23** Gas G has 10 electrons. Gas H has eight more electrons than gas G. Both gases are monoatomic.

Which statement about G and H is correct?

- **A** Both gases are in the same group of the Periodic Table.
- **B** Both gases are in the same period of the Periodic Table.
- **C** Both gases are very reactive.
- **D** Gas G has a higher atomic mass than gas H.
- 24 Metal M is placed between zinc and iron in the reactivity series.

Which row shows the reactions of M and its oxide?

	M can be extracted by heating its oxide with carbon	M reacts with dilute hydrochloric acid
Α	no	no
В	no	yes
С	yes	no
D	yes	yes


- 25 Which statement about sodium is correct?
  - A It is a reactive grey solid which does not conduct electricity.
  - **B** It is a very reactive element that forms ions with a single negative charge.
  - **C** It reacts slowly with water to form oxygen.
  - **D** It reacts rapidly with water to form its hydroxide.
- 26 Iron from a blast furnace can be converted to steel.

Which statements about steel are correct?

- 1 Steel contains more carbon than the iron obtained from the blast furnace.
- 2 Steel is produced by blowing oxygen through the iron.
- 3 Calcium oxide is added to molten iron to remove basic oxides.
- **A** 1 and 2
- **B** 1 and 3
- **C** 2 and 3
- **D** 2 only
- 27 Which row links a property of aluminium to its stated use?

	property	use		
Α	high strength	food containers		
В	resistance to corrosion	food containers		
С	high density	manufacture of aircraft		
D	good electrical conductivity	manufacture of aircraft		

28 The diagram shows a stage in the purification of dirty water.



Which process does this apparatus show?

- **A** chlorination
- **B** condensation
- **C** distillation
- **D** filtration

29	Wh	Which substance in polluted air damages stonework and kills trees?							
	Α	carbon dioxide							
	В	carbon monoxide							
	С	lead cor	mpound	S					
	D	sulfur dioxide							
30	Wh	ich react	ion prod	uce	s ammonia gas	s?			
	Α	warming	g ammoi	niun	n chloride with	dilute	sodium hydrox	ide	
	В	warming	g ammoi	niun	n nitrate with di	lute s	ulfuric acid		
	С	warming	g ammoi	niun	n phosphate wi	th dilu	ute sodium chlo	ride	
	D	warmin	g ammoi	niun	n sulfate with d	ilute r	nitric acid		
31	Wh	ich react	ions pro	duce	e carbon dioxid	le?			
		1	additio	n of	dilute nitric aci	d to c	opper(II) carbo	nate	
		2	heating	j zin	c carbonate				
		3	combu	stior	n of methane				
	A	1, 2 and	13	В	1 and 2 only	С	1 and 3 only	D	3 only
32	Wh	ich elem	ent has	an o	xide that is use	ed as	a food preserva	itive?	•
	Α	helium							
	В	hydroge	en						
	С	iron							
	D	sulfur							
33	Wh	ich subst	tance giv	ves (	off carbon diox	ide or	n heating?		
	Α	lime							
	В	limestor	ne						
	С	limewat	er						
	D	slaked l	ime						
34	Wh	ich formu	ula repre	sen	ts ethanol?				
	Α	CH₃CH₃	3	В	CH <sub>2</sub> CH <sub>2</sub>	С	CH <sub>3</sub> CH <sub>2</sub> OH	D	CH₃COOH

**35** Fuel oil and naphtha are two fractions obtained from petroleum.

What are the major uses of these fractions?

	fuel oil	naphtha
Α	jet fuel	making chemicals
В	jet fuel	making roads
С	ship fuel	making chemicals
D	ship fuel	making roads


- 36 Which compound is a member of the alkene homologous series?
  - $A C_2H_6$
- **B** C<sub>4</sub>H<sub>10</sub>
- $C C_6H_{12}$
- **D** C<sub>8</sub>H<sub>18</sub>
- 37 Which type of covalent bond is found in both a molecule of methane and a molecule of ethane?
  - A a double bond between a carbon atom and a hydrogen atom
  - **B** a double bond between two carbon atoms
  - **C** a single bond between a carbon atom and a hydrogen atom
  - **D** a single bond between two carbon atoms
- **38** A large hydrocarbon undergoes cracking.

A smaller hydrocarbon, X, and a gas are the only two products.

Which row identifies hydrocarbon X and the gas?

	hydrocarbon X	gas
Α	saturated	carbon dioxide
В	saturated	hydrogen
С	unsaturated	carbon dioxide
D	unsaturated	hydrogen

**39** The structures of two hydrocarbons, M and N, are shown.



Which statement is correct?

- **A** M is an alkane and decolourises aqueous bromine.
- **B** M is an alkene and decolourises aqueous bromine.
- **C** N is an alkane and decolourises aqueous bromine.
- **D** N is an alkene and decolourises aqueous bromine.
- **40** Some information about four substances, P, Q, R and S, is listed.

P is made by combining many small molecules together.

Molecules of Q are the largest molecules found in petroleum.

R is produced by cracking alkanes.

S is nylon.

Which substances are synthetic polymers?

A Pand Q B Pand S C Q and R D R and S

## **BLANK PAGE**

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	III/	2 -	D E	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	첫	krypton 84	54	Xe	xenon 131	98	R	radon			
	IIA				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ä	bromine 80	53	Н	iodine 127	85	Αŧ	astatine			
	I				8	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	moloud –	116	^	livermorium -
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	>				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium
					2	В	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	р	cadmium 112	80	Нg	mercury 201	112	ပ်	copernicium
											29	Cn	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
Group											28	Z	nickel 59	46	Pd	palladium 106	78	പ	platinum 195	110	Ds	darmstadtium -
Gre											27	ဝိ	cobalt 59	45	R	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		- <u>-</u>	С	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium
											25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium
					_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Б	tantalum 181	105	Q O	dubnium –
						atc	<u>ə</u> .				22	j	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿉	rutherfordium -
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium
	_				က	=	lithium 7	11	Na	sodium 23	19	×	potassium 39	37	Вb	rubidium 85	55	CS	caesium 133	87	Ŧ	francium

lanthanoids La Ce Pr Nd Pm Sm Eu Gd Tb Dy Ho Er Tm   Institution Institution restitution Institution presentation production p		22	28	59	09	61	62	63	64	65	99	29	89	69	20	71
certum praseodymium promethium samarium europium gadolinium terbium dysprosium holmium erbium erbium   140 141 144 - 150 152 157 159 167	lanthanoids	Га	Ce	Ą	ΡN	Pm	Sm	En	РЭ	Д	۵	유	Щ	Tm	Υb	Γn
90 91 92 93 94 95 96 97 98 99 100   Th Pa U Np Pu Am Cm Bk Cf Es Fm   thorium protectinum neptunium neptun		lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175
Th Pa U Np Pu Am Cm Bk Cf Es Fm femium protection uranium neptunium plutonium americum curium berkelium berkelium deinsteinium femium m femium m		88	06	91	92	93	94	92	96	26	86	66	100	101	102	103
thorium protactinium uranium neptunium plutonium americium cunium berkelium califonium einsteinium fermium m 232 231 231 238	actinoids	Ac	디	Ра	$\supset$	ď	Pn	Am	Cm	益	ŭ	Es	Fm	Md	%	۲
231 238		actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium	nobelium	lawrencium
		I	232	231	238	ı	ı	ı	ı	ı	I	ı	I	ı	I	ı

The volume of one mole of any gas is  $24\,\mathrm{dm}^3$  at room temperature and pressure (r.t.p.).