

Cambridge IGCSE[™]

CHEMISTRY 0620/22

Paper 2 Multiple Choice (Extended)

May/June 2024

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

INSTRUCTIONS

There are **forty** questions on this paper. Answer **all** questions.


- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.


INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.





- 1 Which gas has the slowest rate of diffusion?
 - \mathbf{A} H_2
- B NH₃
- C CH₄
- D CO_2
- 2 Which statements about the position of the elements in the Periodic Table are correct?
 - 1 Elements in the same group have similar chemical properties.
 - 2 Elements in the same period have similar chemical properties.
 - 3 Elements in the same group have the same number of electron shells.
 - 4 Elements in the same group have the same number of outer shell electrons.
 - **A** 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4
- 3 Which statements about isotopes are correct?
 - 1 Isotopes are atoms of different elements with the same number of protons.
 - 2 Isotopes of the same element have the same chemical properties.
 - 3 Isotopes are atoms with the same relative atomic mass.
 - 4 Isotopes of the same element have the same electronic configuration.
 - **A** 1 and 2
- **B** 1 and 3
- **C** 2 and 4
- **D** 3 and 4
- 4 Which diagram shows the arrangement of the outer shell electrons in a molecule of water?






C





5 The structures of three substances are shown.



Which substances are hard and have a high melting point?

- **A** 1, 2 and 3
- **B** 1 only
- C 2 only
- **D** 2 and 3 only

6 Information about four substances, W, X, Y and Z, is shown.

	melting point/°C	electrical conductivity
W	1710	does not conduct when solid
X	3500	conducts when solid
Υ	120	does not conduct
Z	801	conducts when molten

W, X, Y and Z are graphite, poly(ethene), sodium chloride and silicon(IV) oxide but not in that order.

What are W, X, Y and Z?

	W	X	Y	Z				
Α	graphite	poly(ethene)	silicon(IV) oxide	sodium chloride				
В	sodium chloride	graphite	poly(ethene) silicon(IV) oxid					
С	poly(ethene) sodium chloride		graphite	silicon(IV) oxide				
D	silicon(IV) oxide	graphite	poly(ethene)	sodium chloride				

7 The structure of glycine is shown.

Which row is correct?

	formula of glycine	number of different elements in glycine
		eleffierits in grycifie
Α	CH₅O₂N	10
В	$C_2H_5O_2N$	4
С	$C_2H_5O_2N$	10
D	H₂NCHCOOH	4

8 The incomplete equation for photosynthesis is shown.

$$wCO_2 + xH_2O \rightarrow P + yO_2$$

Compound P is a product of the reaction.

Which row describes the values of w, x and y and gives the empirical formula of compound P?

	values of w, x and y	empirical formula of compound P
Α	w, x and y are all the same	CH ₂ O
В	w, x and y are all the same	C ₆ H ₁₂ O ₆
С	w and x are the same and both are greater than y	CH₂O
D	w and x are the same and both are greater than y	C ₆ H ₁₂ O ₆

9 The concentration and volume of an aqueous alkali are known.

Which additional information is required to calculate the number of moles of acid needed to neutralise the aqueous alkali?

- A the concentration of the acid
- **B** the equation for the acid–alkali reaction
- C the formula of the acid
- **D** the volume of the acid required for neutralisation

- 10 Which statement about electrolysis is correct?
 - A Electrons move through the electrolyte from the cathode to the anode.
 - **B** Electrons move in the external circuit towards the cathode.
 - **C** Negative ions move in the external circuit towards the anode.
 - **D** Positive ions move through the electrolyte towards the anode.
- **11** Aqueous copper(II) sulfate is electrolysed using copper electrodes.

What is the half-equation for the reaction at the cathode?

$$\textbf{A} \quad 2\textbf{H}^{^{+}} \, + \, 2\textbf{e}^{^{-}} \, \rightarrow \, \textbf{H}_{2}$$

$$\textbf{B} \quad 4 \text{OH}^- \, \rightarrow \, \text{O}_2 \, + \, 2 \text{H}_2 \text{O} \, + \, 4 \text{e}^-$$

$$\textbf{C} \quad \text{Cu} \ \rightarrow \ \text{Cu}^{2^+} \ \textbf{+} \ 2\text{e}^-$$

$$\mathbf{D} \quad \mathsf{Cu}^{2^+} \, + \, 2\mathsf{e}^- \, \to \, \mathsf{Cu}$$

- **12** Three statements about activation energy, E_a , are listed.
 - 1 Colliding particles must have at least $E_{\rm a}$ before they can react.
 - 2 E_a for exothermic reactions is always greater than for endothermic reactions.
 - 3 E_a is always endothermic.

Which statements are correct?


A 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

13 A student adds excess magnesium ribbon to 10 cm³ of 0.5 mol/dm³ sulfuric acid.

The hydrogen gas produced is collected and its total volume is measured every 10 seconds.

The experiment is repeated with $5\,\mathrm{cm}^3$ of $0.5\,\mathrm{mol/dm}^3$ sulfuric acid added to $5\,\mathrm{cm}^3$ of water using the same mass of magnesium ribbon.

Which line on the graph shows the results of the second experiment?



14 The equation represents the reversible reaction between ethene and steam.

$${\rm C_2H_4(g) + H_2O(g)} \rightleftharpoons {\rm C_2H_5OH(g)} \qquad \qquad \Delta H \text{ is negative}$$

Which row describes the conditions that produce the greatest yield of ethanol?

	pressure	temperature
Α	low	low
В	low	high
С	high	low
D	high	high

15 Which row identifies the pressure and the catalyst used for the conversion of sulfur dioxide to sulfur trioxide in the Contact process?

	pressure/atm	catalyst
Α	2	iron
В	2	vanadium(V) oxide
С	200	iron
D	200	vanadium(V) oxide

16 Which equation represents a redox reaction?

A
$$AgNO_3 + NaCl \rightarrow AgCl + NaNO_3$$

B
$$PCl_5 + 4H_2O \rightarrow H_3PO_4 + 5HCl$$

C 3Fe +
$$4H_2O \rightarrow Fe_3O_4 + 4H_2$$

D MgCO₃ + 2HC
$$l \rightarrow$$
 MgC l_2 + CO₂ + H₂O

17 The equation for the reaction between aluminium and copper(II) oxide is shown.

$$2Al + 3CuO \rightarrow Al_2O_3 + 3Cu$$

Which statements about this equation are correct?

- 1 The oxidation number of the aluminium reactant is +2.
- 2 The oxidation number of the aluminium in the product is +6.
- 3 The oxidation number of the copper in the reactant is +2.
- 4 The oxidation number of the copper product is 0.
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 3 and 4 **D** 4 only
- 18 What is the colour of thymolphthalein in dilute hydrochloric acid?
 - A blue
 - **B** red
 - **C** yellow
 - **D** colourless

19 Two acids, P and Q, with the same concentration and volume are reacted separately with the same mass of magnesium ribbon.

The reactions produce the same total volume of hydrogen gas but acid Q reacts much more slowly than acid P.

Which explanation for the difference between P and Q is correct?

- A Acid P has a higher pH than acid Q.
- **B** Acid P has a lower concentration of hydrogen ions.
- **C** Acid Q is partially dissociated and acid P is fully dissociated.
- **D** Acid Q is a proton acceptor.
- 20 Which process is **not** used in the preparation of an insoluble salt?
 - **A** filtration
 - **B** washing
 - **C** crystallisation
 - **D** drying
- 21 Lithium and potassium are metals in Group I of the Periodic Table.

Lithium has a melting point of 181 °C and a density of 0.53 g/cm³.

Which row describes the melting point and density of potassium?

	melting point in °C	density in g/cm ³
Α	less than 181	less than 0.53
В	less than 181	greater than 0.53
С	greater than 181	less than 0.53
D	greater than 181	greater than 0.53

- **22** Which statements about transition elements are correct?
 - 1 They have a low density.
 - 2 They form ions with variable oxidation numbers.
 - 3 They have a high melting point.
 - 4 They form only colourless compounds.
 - **A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4

- 1 Their atoms have full outer electron shells.
- 2 They are unreactive metals.
- 3 They are monatomic gases.
- 4 They are diatomic gases.

A 1 and 3

B 1 and 4

C 2 and 3

D 2 and 4

24 Four metals, Q, R, S and T, are each added to separate samples of water, steam and dilute hydrochloric acid.

The results are shown.

	observation with water	observation with steam	observation with dilute hydrochloric acid
Q	slow reaction	fast reaction	fast reaction
R	no reaction	no reaction	no reaction
S	no reaction	very slow reaction	slow reaction
Т	fast reaction	explodes	explodes

Which statements are correct?

- 1 R is the least reactive metal.
- 2 T could be potassium.
- 3 S is more reactive than Q and R.
- 4 Metals generally react faster with steam than they react with water.

A 1, 2 and 4

B 1 and 2 only

C 2 and 3

D 3 and 4

25 Metal X acts as a sacrificial metal to prevent iron from corroding.

Metal X does **not** act as a sacrificial metal to prevent aluminium from corroding.

What is X?

A copper

B magnesium


C silver

D zinc

- 26 Which equation represents the reduction of a compound found in hematite in the blast furnace?
 - **A** $2Al_2O_3 \rightarrow 4Al + 3O_2$
 - **B** CaO + SiO₂ \rightarrow CaSiO₃
 - **C** 2FeO + CO \rightarrow Fe₂O₃ + C
 - **D** $Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$
- 27 Which statements about the treatment of domestic water supplies are correct?
 - 1 Filtration is used to remove insoluble substances from the water.
 - 2 Sedimentation is used to remove soluble substances from the water.
 - 3 Carbon is used to remove tastes and odours from the water.
 - 4 Chlorine is used to lower the pH of the water.
 - **A** 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4

- 28 Which statement about water is correct?
 - **A** It turns anhydrous copper(II) sulfate from pink to blue.
 - **B** It turns anhydrous copper(II) sulfate from white to blue.
 - **C** It turns cobalt(II) chloride paper from blue to white.
 - **D** It turns cobalt(II) chloride paper from pink to blue.
- 29 Cupronickel is used to make coins.

The arrangement of atoms in cupronickel is shown.





Which kind of substance is cupronickel?

- **A** an alloy
- B an isotope
- **C** a compound
- **D** a transition element

30	Wh	nich physica	ch physical properties are typical of all metals?										
		1 (good heat	conductivity									
		2	low density	,									
		3	malleability	,									
	A	1 and 2	В	1 and 3	С	2 and 3	D	3 only					
31	Wh	nich oxide is	s used to n	eutralise aci	dic gase	es in flue gas	desulfu	risation?					
	Α	calcium c	xide										
	В	carbon di	oxide										
	С	nitrogen o	oxide										
	D	sulfur dio	xide										
20	Sal	ma informa	ation obout	three good	D O or	nd Dialistad							
32	301					nd R, is listed							
		•			_		dilute hy	/drochloric acid.					
		•		ikes up 78% ms when gas		יי. ts with gas Q)						
				no mion ga		io min gao d							
	Wh	at is gas R	! ?										
	Α	ammonia											
	В	methane											
	С	nitrogen (dioxide										
	D	water var	oour										
33	Wh	nich formula	a represent	ts an alkene'	?								
	Δ	CH₄	В	C_2H_4	С	C ₂ H ₆	D	C ₂ H ₅ OH					
		J1 1 ₄	_	21 14	J	2 1 '6		2115011					

34 The structures of two compounds used to make an ester are shown.





What is the name of the ester?

- A ethyl propanoate
- B propyl ethanoate
- C ethyl ethanoate
- **D** propyl propanoate

35 Which statement about a homologous series is correct?

- **A** All members have the same general formula.
- **B** All members have the same molecular formula.
- **C** All members have similar physical properties.
- **D** Members show a trend in their chemical properties.

36 Which statements about aqueous ethanoic acid are correct?

- 1 It contains the functional group –COOH.
- 2 It reacts with carbonates to produce hydrogen.
- 3 It turns universal indicator paper blue.
- 4 It has a pH lower than pH 7.
- **A** 1 and 2 **B** 1 and 3 **C** 1 and 4 **D** 2 and 4

37 Alkenes react with steam in an addition reaction.

Some alkenes produce only one alcohol product. Some alkenes produce two different alcohols which are structural isomers.

Which row gives the number of alcohol isomers formed when ethene reacts with steam and when propene reacts with steam?

	number of alcohol isomers formed										
	ethene + steam propene + steam										
Α	1	1									
В	1	2									
С	2	1									
D	2	2									

- **38** What is an advantage of manufacturing ethanol by fermentation rather than by the addition of steam to ethene?
 - A No gases that cause global warming are produced.
 - **B** The ethanol that is produced is pure.
 - **C** Fermentation is a fast process.
 - **D** Fermentation uses renewable raw materials.

39 The diagram shows the structure of a polymer.

Which structure represents the monomer for this polymer?

Α

В

C

D

- **40** Which piece of apparatus is used to measure 24.5 cm³ of gas produced during a reaction?
 - **A** beaker
 - **B** conical flask
 - **C** measuring cylinder
 - **D** volumetric pipette

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	= \	2 H	helium 4	10	Ne	neon 20	18	Ą	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon	118	Og	oganesson –
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	¥	astatine -	117	<u>s</u>	tennessine -
	5			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъ	polonium -	116		livermorium -
	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209	115	Mc	moscovium
	≥			9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium
	=			2	В	boron 11	13	ΝI	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	11	thallium 204	113	R	nihonium –
										30	Zu	zinc 65	48	පි	cadmium 112	80	Ρ̈́	mercury 201	112	S	copernicium
										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group									28	Z	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -	
g				,						27	ပိ	cobalt 59	45	格	rhodium 103	77	Ir	iridium 192	109	Ψ	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	4	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium
							1			25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
				_	loq	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	В	dubnium -
					atc	<u>a</u>				22	F	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	圣	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89-103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	26	Ba	barium 137	88	Ra	radium
	_			က	=	lithium 7	7	Na	sodium 23	19	×	potassium 39	37	Rb	rubidium 85	55	CS	caesium 133	87	Ŧ	francium -

71	L U	175	103	۲	lawrencium	I
70						
69 F	E :	169	101	Md	mendelevium	1
89	L E	167	100	Fm	fermium	I
29	OL HIGH	165	66	Es	einsteinium	I
99	Suggestion C	163	86	ర్	califomium	I
65	Ω lathium	159	26	番	berkelium	I
64	ב ב	157	96	Cm	curium	I
63	D Historia	152	92	Am	americium	I
62	M M M	150	94	Pn	plutonium	I
19	E #	1	93	Δ	neptunium	1
09	Na	144	92	\supset	uranium	238
29	J godin	141	91	Ра	protactinium	231
28	ي و	140	06	모	thorium	232
57	r F	139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).