

# Cambridge International AS & A Level

CHEMISTRY 9701/31

Paper 3 Advanced Practical Skills 1

May/June 2022

CONFIDENTIAL INSTRUCTIONS

This document gives details of how to prepare for and administer the practical exam.

The information in this document and the identity of any materials supplied by Cambridge International are confidential and must NOT reach candidates either directly or indirectly.

The supervisor must complete the report at the end of this document and return it with the scripts.

#### **INSTRUCTIONS**

If you have any queries regarding these confidential instructions, contact Cambridge International stating the centre number, the syllabus and component number and the nature of the query.
email info@cambridgeinternational.org
phone +44 1223 553554



## General information about practical exams

Centres must follow the guidance on science practical exams given in the Cambridge Handbook.

## Safety

Supervisors must follow national and local regulations relating to safety and first aid.

Only those procedures described in the question paper should be attempted.

Supervisors must inform candidates that materials and apparatus used in the exam should be treated with caution. Suitable eye protection should be used where necessary.

The following hazard codes are used in these confidential instructions, where relevant:

C corrosive
HH health hazard
F flammable
MH moderate hazard
T acutely toxic
O oxidising

**N** hazardous to the aquatic environment

Hazard data sheets relating to substances used in this exam should be available from your chemical supplier.

#### Before the exam

- The packets containing the question papers must **not** be opened before the exam.
- It is assumed that standard school laboratory facilities, as indicated in the *Guide to Planning Practical Science*, will be available.
- Spare materials and apparatus for the tasks set must be available for candidates, if required.

### **During the exam**

- It must be made clear to candidates at the start of the exam that they may request spare materials and apparatus for the tasks set.
- Where specified, the supervisor **must** perform the experiments and record the results as instructed. This must be done **out of sight** of the candidates, using the same materials and apparatus as the candidates.
- Any assistance provided to candidates must be recorded in the supervisor's report.
- If any materials or apparatus need to be replaced, for example, in the event of breakage or loss, this must be recorded in the supervisor's report.

## After the exam

- The supervisor must complete a report for each practical session held and each laboratory used.
- Each packet of scripts returned to Cambridge International must contain the following items:
  - the scripts of the candidates specified on the bar code label provided
  - the supervisor's results relevant to these candidates
  - the supervisor's reports relevant to these candidates
  - seating plans for each practical session, referring to each candidate by candidate number
  - the attendance register.

© UCLES 2022 9701/31/CI/M/J/22

## Specific information for this practical exam

During the exam, the supervisor (**not** the invigilator) must do all the experiments and record the results on a spare copy of the question paper, clearly labelled 'supervisor's results'.

If chemicals are prepared in more than one batch, clearly labelled supervisor's results must be provided for each batch. The candidates using each batch must be listed on the supervisor's report.

### **Apparatus**

- $1 \times 25 \, cm^3$  pipette
- 1 × pipette filler
- $1 \times 50 \, \text{cm}^3$  burette
- $2 \times 150 \, \text{cm}^3$  or  $250 \, \text{cm}^3$  conical flask
- 1 × burette stand and clamp
- 1 × 100 cm<sup>3</sup> beaker
- $1 \times 250 \, \text{cm}^3$  beaker
- 1 × funnel (for filling burette)
- 1 × white tile
- 1 × glass rod
- 1 × stop-clock to measure to an accuracy of 1 second
- 2 × teat/dropping pipette
- 1 × spatula
- $1 \times \text{crucible with lid (approximate capacity } 15 \text{ cm}^3)$
- $1 \times \text{crucible tongs}$
- 1 × pipe-clay triangle
- $1 \times tripod$
- 1 × Bunsen burner
- 1 × heat-proof mat
- 1 × test-tube holder
- 1 × boiling tube
- 1 × hard-glass test-tube
- 8 × test-tube\*
- 1 × test-tube rack

balance, single-pan, direct reading, minimum accuracy 0.01 g (1 per 8-12 candidates) weighing to 200 g

- 1 × wash bottle
- 1 × pen for labelling glassware

paper towels

red and blue litmus papers

aluminium foil for testing nitrate/nitrite

wooden splints

the apparatus normally used in the centre for use with limewater in testing for carbon dioxide

\*Candidates are expected to rinse and re-use test-tubes where possible. Additional tubes should be available.

Where balance provision is limited, some candidates should be instructed to start the exam with different questions. See the current syllabus for balance: candidate ratio.

Materials

The materials listed in the table must be provided to each candidate.

N.B. Small amounts of NO2 [C][O][T], which can cause respiratory distress in some people, may be produced. The laboratory must be well ventilated.

label	per	identity	notes (hazards given in this column are for the raw materials)
FA 1	120 cm <sup>3</sup>	0.120 mol dm <sup>-3</sup> hydrochloric acid	Dilute $60.0 \mathrm{cm^3}$ of $2.0 \mathrm{moldm^{-3}}$ HC $l$ to $1 \mathrm{dm^3}$ .
FA 2	120 cm <sup>3</sup>	0.110 mol dm <sup>-3</sup> sodium hydroxide	Dissolve $4.40g$ of NaOH <b>[C]</b> in each dm $^3$ of solution.
FA 3 [F][НН][МН]	5 cm³	thymolphthalein indicator	See preparation instructions in current syllabus.
FA 4	1.3g	magnesium hydroxide	Provide 1.30–1.40g of Mg(OH) <sub>2</sub> in a stoppered container.
FA 5 [O][MH]	1.5g	sodium nitrate	Provide 1.50–1.60g of NaNO <sub>3</sub> <b>[O][MH]</b> in a stoppered container.
FA 6 [C]	20 cm <sup>3</sup>	0.20 mol dm <sup>-3</sup> aluminium sulfate	Dissolve 68.40 g of $Al_2(SO_4)_3$ [C] in each dm <sup>3</sup> of solution. (Alternatively, use 126.0 g of $Al_2(SO_4)_3$ -16H <sub>2</sub> O.)
FA 7	20 cm³	0.02 mol dm <sup>-3</sup> aqueous iodine (dissolved in 0.20 mol dm <sup>-3</sup> potassium iodide)	Dissolve 33.20 g of KI in approximately $500\mathrm{cm^3}$ of distilled water, then dissolve $5.08\mathrm{g}$ of $I_2\text{[MH][N]}$ in this solution and make up to $1.0\mathrm{dm^3}$ with distilled water.
starch	5cm³	aqueous starch	See preparation instructions in current syllabus.
sodium thiosulfate	10 cm <sup>3</sup>	0.20 mol dm <sup>-3</sup> sodium thiosulfate	Dissolve 49.64 g of Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> •5H <sub>2</sub> O in each dm <sup>3</sup> of water.

label	per candidate	identity	notes (hazards given in this column are for the raw materials)
dilute hydrochloric acid	10 cm <sup>3</sup>	2.0 moldm <sup>-3</sup> HC <i>l</i>	
dilute nitric acid <b>[C]</b>	10 cm <sup>3</sup>	2.0 moldm <sup>-3</sup> HNO <sub>3</sub>	
dilute sulfuric acid <b>[MH]</b>	10 cm <sup>3</sup>	1.0 moldm <sup>-3</sup> H <sub>2</sub> SO <sub>4</sub>	
aqueous ammonia [C][MH][N]	10 cm³	2.0 moldm <sup>-3</sup> NH <sub>3</sub>	See preparation instructions in the current syllabus.
aqueous sodium hydroxide [C]	20 cm <sup>3</sup>	2.0 mol dm <sup>-3</sup> NaOH	If necessary, each of these reagents can be provided as a communal supply for groups of up to 6 candidates.
aqueous barium chloride	10 cm <sup>3</sup>	0.1 moldm <sup>-3</sup> BaCl <sub>2</sub>	Invigilators must be alert to the risk of contamination and the opportunity for malpractice when using a communal supply.
aqueous barium nitrate		$0.1  \text{mol dm}^{-3}  \text{Ba(NO}_3)_2$	
limewater <b>[MH]</b>	10 cm <sup>3</sup>	saturated aqueous calcium hydroxide, Ca(OH) <sub>2</sub>	
aqueous silver nitrate	10 cm <sup>3</sup>	0.05 moldm <sup>-3</sup> AgNO <sub>3</sub>	
acidified aqueous potassium manganate(VII) [MH]	10 cm <sup>3</sup>	$0.01  \text{moldm}^{-3}  \text{KMnO}_4  \text{in}$ $0.5  \text{moldm}^{-3}  \text{H}_2  \text{SO}_4$	

- An excess of at least 10% of each material must be prepared to cover accidental loss.
- All solutions must be thoroughly mixed.
- If you are unable to source any of these chemicals, you must contact Cambridge International as far as possible in advance of the exam for advice.
- Materials must be labelled only as specified in the 'label' column. The identities of chemicals labelled with letter codes, e.g. FA 1, may be different from their descriptions in the question paper. Candidates must use the descriptions given in the question paper.

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

# Supervisor's report

Syllabus and component number			/		
Centre number					
Centre name	 	 		 	
Time of the practical session	 	 		 	
Laboratory name/number	 	 		 	

Give details of any difficulties experienced by the centre or by candidates (include the relevant candidate names and candidate numbers).

You must include:

- any difficulties experienced by the centre in the preparation of materials
- any difficulties experienced by candidates, e.g. due to faulty materials or apparatus
- any specific assistance given to candidates.

	f chemicals have bee	n prepared in more	than one batch	. list the candidates	usina each	ı batcl
--	----------------------	--------------------	----------------	-----------------------	------------	---------

#### **Declaration**

- 1 Each packet that I am returning to Cambridge International contains all of the following items:
  - the scripts of the candidates specified on the bar code label provided
  - the supervisor's results relevant to these candidates
  - the supervisor's reports relevant to these candidates
  - seating plans for each practical session, referring to each candidate by candidate number
  - the attendance register.
- Where the practical exam has taken place in more than one practical session, I have clearly labelled the supervisor's results, supervisor's reports and seating plans with the time and laboratory name/number for each practical session.
- 3 I have included details of difficulties relating to each practical session experienced by the centre or by candidates.
- I have reported any other adverse circumstances affecting candidates, e.g. illness, bereavement or temporary injury, directly to Cambridge International on a *special consideration form*.

Signed	(supervisor)
Name (in block capitals)	

© UCLES 2022 9701/31/CI/M/J/22