

Cambridge International AS & A Level

CHEMISTRY 9701/33

Paper 3 Advanced Practical Skills 1

October/November 2024



This document gives details of how to prepare for and administer the practical exam.

The information in this document and the identity of any materials supplied by Cambridge International are confidential and must NOT reach candidates either directly or indirectly.

The supervisor must complete the report at the end of this document and return it with the scripts.

INSTRUCTIONS

 If you have any queries regarding these confidential instructions, contact Cambridge International stating the centre number, the syllabus and component number and the nature of the query.
 email info@cambridgeinternational.org

phone +44 1223 553554



General information about practical exams

Centres must follow the guidance on science practical exams given in the Cambridge Handbook.

Safety

Supervisors must follow national and local regulations relating to safety and first aid.

Only those procedures described in the question paper should be attempted.

Supervisors must inform candidates that materials and apparatus used in the exam should be treated with caution. Suitable eye protection should be used where necessary.

The following hazard codes are used in these confidential instructions, where relevant:

CcorrosiveMHmoderate hazardHHhealth hazardTacutely toxicFflammableOoxidising

N hazardous to the aquatic environment

Hazard data sheets relating to substances used in this exam should be available from your chemical supplier.

Before the exam

- The packets containing the question papers must **not** be opened before the exam.
- It is assumed that standard school laboratory facilities, as indicated in the *Guide to Planning Practical Science*, will be available.
- Spare materials and apparatus for the tasks set must be available for candidates, if required.

During the exam

- It must be made clear to candidates at the start of the exam that they may request spare materials and apparatus for the tasks set.
- Where specified, the supervisor must perform the experiments and record the results as instructed.
 This must be done out of sight of the candidates, using the same materials and apparatus as the candidates.
- Any assistance provided to candidates must be recorded in the supervisor's report.
- If any materials or apparatus need to be replaced, for example, in the event of breakage or loss, this must be recorded in the supervisor's report.

After the exam

- The supervisor must complete a report for each practical session held and each laboratory used.
- Each packet of scripts returned to Cambridge International must contain the following items:
 - the scripts of the candidates specified on the bar code label provided
 - the supervisor's results relevant to these candidates
 - the supervisor's reports relevant to these candidates
 - seating plans for each practical session, referring to each candidate by candidate number
 - the attendance register.

Specific information for this practical exam

During the exam, the supervisor (**not** the invigilator) must do all the experiments and record the results on a spare copy of the question paper, clearly labelled 'supervisor's results'.

If chemicals are prepared in more than one batch, clearly labelled supervisor's results must be provided for each batch. The candidates using each batch must be listed on the supervisor's report.

Apparatus

The apparatus listed must be provided to each candidate.

- $1 \times 25 \, \text{cm}^3$ pipette
- 1 × pipette filler
- $1 \times 50 \, \text{cm}^3$ burette
- $2 \times 150 \, \text{cm}^3$ or $250 \, \text{cm}^3$ conical flask
- $1 \times 50 \, \text{cm}^3$ measuring cylinder
- 1 × burette stand and clamp
- $1 \times 100 \, \text{cm}^3 \, \text{beaker}$
- $1 \times 250 \, \text{cm}^3 \, \text{beaker}$
- 1 × funnel (for filling burette)
- 1 × white tile
- 1 × glass rod
- 1 × stop-clock to measure to an accuracy of 1 second
- 2 × teat/dropping pipette
- 1 × spatula
- 1 × Bunsen burner
- 1 × heat-proof mat
- 1 × test-tube holder
- 1 × boiling tube
- 1 × hard-glass test-tube
- 8 × test-tube*
- $1 \times \text{solid}$ bung for test-tube
- 1 × test-tube rack

balance, single-pan, direct reading, minimum accuracy 0.01g (1 per 8-12 candidates) weighing to 200g $1 \times wash$ bottle containing distilled water

paper towels

1 × pen for labelling glassware

red and blue litmus papers

aluminium foil

wooden splints

the apparatus normally used in the centre for use with limewater in testing for carbon dioxide

*Candidates are expected to rinse and reuse test-tubes where possible. Additional tubes should be available.

© Materials
Column. The specified in the table must be provided to each candidate. Materials must be labelled only as specified in the 'label' column. The column is the materials listed in the table must be different from their descriptions in the question paper. For example, candidates may be supplied with sulfuric acid, labelled as FA 1, but be told in the descriptions given in the question paper. For example, candidates may be supplied with sulfuric acid, labelled as FA 1, but be told in

label	per candidate	identity	notes
FA1 [MH]	5.0g	hydrated sodium carbonate	5.0–5.1 g of Na ₂ CO ₃ •10H ₂ O [MH] in a stoppered container. This should be from a freshly opened container.
FA 2	40 cm ³	2.00 mol dm ⁻³ hydrochloric acid	See preparation instructions in current syllabus.
FA 3	120 cm ³	0.0542 mol dm ⁻³ sodium carbonate	Dissolve 15.50g of Na ₂ CO ₃ •10H ₂ O [MH] in each dm ³ . This should be from a freshly opened container.
FA 4	120 cm ³	0.110 mol dm ⁻³ hydrochloric acid	Prepare 2.00 mol dm ⁻³ HC l as above. Then dilute 55.0 cm ³ of 2.0 mol dm ⁻³ HC l to 1.00 dm ³ .
FA 5 [F][MH][HH]	10 cm ³	bromophenol blue indicator	See preparation instructions in current syllabus.
FA 6 [MH][N]	1.0g	copper(II) carbonate hydroxide	1.0 \pm 0.1 g of CuCO ₃ •Cu(OH) ₂ [MH][N] in a suitable container. Any form of basic copper(II) carbonate is suitable.
FA 7 [C][N]	25 cm ³	copper(II) sulfate mixed with sulfuric acid	Dissolve 49.9g of CuSO ₄ •5H ₂ O [C][MH][N] in 250 cm ³ of 1.0 moldm ⁻³ sulfuric acid [MH] (see preparation instructions in current syllabus) and add distilled water to make up to 1.00 dm ³ .
FA 8	10 cm ³	0.20 mol dm ⁻³ potassium iodide	Dissolve $33.2g$ of KI in each dm^3 .
iron powder [F]	1.0g	iron powder	1.0 ± 0.1 g of iron powder [F] in a suitable container. Finely ground iron filings are suitable.
aqueous starch	2cm ³	aqueous starch	See preparation instructions in current syllabus.
aqueous sodium carbonate	5cm ³	0.50 mol dm ⁻³ sodium carbonate	Dissolve $53.0g$ of $\mathrm{Na_2CO_3}$ [MH] or $143.0g$ of $\mathrm{Na_2CO_3}$ 10H $_2$ O [MH] in each dm 3 .

label © UCLES	per candidate	identity	notes
dilute hydrochloric acid	10 cm ³	2.0 mol dm ⁻³ HC <i>l</i>	
dilute nitric acid [C]	10 cm ³	2.0 moldm ⁻³ HNO ₃	
dilute sulfuric acid [MH]	10 cm ³	$1.0\mathrm{moldm^{-3}H_2SO_4}$	See preparation instructions in the current syllabus
aqueous ammonia [C][MH][N]	20 cm ³	$2.0\mathrm{moldm^{-3}NH_3}$	
aqueous sodium hydroxide [C]	10 cm ³	2.0 moldm ⁻³ NaOH	It necessary, each of these reagents can be provided as a communal supply for groups of up
aqueous barium chloride	10 cm ³	$0.1\mathrm{moldm^{-3}BaC}l_2$	to 6 candidates.
or aqueous barium nitrate		or $0.1\mathrm{moldm^{-3}Ba(NO_3)_2}$	Invigilators must be alert to the risk of
limewater [MH]	10 cm ³	saturated aqueous calcium hydroxide, Ca(OH) ₂	when using a communal supply.
aqueous silver nitrate	10 cm ³	$0.05\mathrm{moldm^{-3}AgNO_3}$	
acidified aqueous potassium manganate(VII) [MH]	10 cm ³	$0.01\mathrm{moldm^{-3}KMnO_4}$ in $0.5\mathrm{moldm^{-3}H_2SO_4}$	

An excess of at least 10% of each material must be prepared to cover accidental loss.

All solutions must be thoroughly mixed.

If you are unable to source any of these chemicals, you must contact Cambridge International as far as possible in advance of the exam for advice.

6

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

Supervisor's report

Syllabus and component number			/		
Centre number					
Centre name	 	 		 	
Time of the practical session	 	 		 	
Lahoratory name/number					

Give details of any difficulties experienced by the centre or by candidates (include the relevant candidate names and candidate numbers).

You must include:

- any difficulties experienced by the centre in the preparation of materials
- any difficulties experienced by candidates, e.g. due to faulty materials or apparatus
- any specific assistance given to candidates.

If chemicals have been prepared in more than one batch, list the candidates using each bat	If (chemicals have be	een prep	pared in more	than on	e batch,	list the	candidates	using e	each b	ato
--	------	-------------------	----------	---------------	---------	----------	----------	------------	---------	--------	-----

Declaration

- 1 Each packet that I am returning to Cambridge International contains all of the following items:
 - the scripts of the candidates specified on the bar code label provided
 - the supervisor's results relevant to these candidates
 - the supervisor's reports relevant to these candidates
 - seating plans for each practical session, referring to each candidate by candidate number
 - the attendance register.
- 2 Where the practical exam has taken place in more than one practical session, I have clearly labelled the supervisor's results, supervisor's reports and seating plans with the time and laboratory name/number for each practical session.
- 3 I have included details of difficulties relating to each practical session experienced by the centre or by candidates.
- 4 I have reported any other adverse circumstances affecting candidates, e.g. illness, bereavement or temporary injury, directly to Cambridge International on a *special consideration form*.

Signed	(supervisor)
Name (in block capitals)	

© UCLES 2024 9701/33/CI/O/N/24