



Cambridge IGCSE™

DESIGN AND TECHNOLOGY

0445/11

Paper 1 Product Design

May/June 2022

MARK SCHEME

Maximum Mark: 50

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2022 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre–U components, and some Cambridge O Level components.

This document consists of **13** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Performance description tables

Each question contains some marks which are awarded using the following performance description tables.

Part (c)				
Communication of ideas			Suitable designs	
Mark	Performance description		Mark	Performance description
5–6	Ideas are communicated with precision and clarity through the use of accurate drawings and reasoned annotations linked to most of the requirements.		5–6	Creative solutions which fully meet the requirements. Designs showing most aspects of construction detail.
3–4	Ideas are displayed with some clarity through clear drawings supported by annotations referring to some of the requirements.		3–4	Sensible solutions that mostly meet the requirements. Designs with moderate construction detail.
1–2	Simple drawings and limited annotations show little understanding of the requirements.		1–2	Solutions do not meet many of the requirements. Simplistic designs with little construction detail.
0	No creditable response.	0	No creditable response	

Part (e)				
Quality of drawing			Construction details	
Mark	Performance description		Mark	Performance Description
4	High standard of line quality, use of colour and proportions. Appropriate techniques used that show clearly all detail.		5–6	All construction detail clear with good annotations and/or additional detail drawings as necessary.
2–3	Good line quality, use of colour and proportions. Most of the detail presented.		3–4	Most construction may be obvious from overall views or with some annotation.
1	Poor line quality and proportions. Little detail presented.		1–2	A simplistic design; little or no detail of construction used.
0	No creditable response.	0	No creditable response.	

Guidance on using the performance description tables

Marking should be positive, rewarding achievement where possible but clearly differentiating across the whole range of marks available.

In approaching the assessment process, examiners should look at the work and then make a 'best fit' judgement as to which level statement it fits. In practice the work does not always match one level statement precisely so a judgement may need to be made between two or more level statements.

Once a 'best fit' level statement has been identified the following guide should be used to decide on a specific mark:

- Where the candidate's work **convincingly** meets the level statement, the highest mark should be awarded
- Where the candidate's work **adequately** meets the level statement, the most appropriate mark in the middle of the range should be awarded
- Where the candidate's work **just** meets the level statement, the lowest mark should be awarded.

Candidates answer **one** question, **either 1 or 2 or 3**.

Question	Answer	Marks	Guidance
1(a)	Accept any four additional specification points – accommodate a number of items (books, phone, keys...), fit in with surroundings, easy to access items, stable/sturdy (if on floor), easy to clean/dust, include drawers shelves/dividers, economy of space, suitable for any age child, aesthetically pleasing (must be qualified), easy to install, environmentally friendly (must be qualified), safe (must be qualified)...[1 × 4]	4	<p>Each specification point – 1 mark No repeats from question – store personal items/provides storage, used in a small bedroom, wall mounted, floor mounted...</p> <p>Only accept unqualified or one word answers if relevant to this specific design problem such as stable, compact, durable...</p> <p>Do not generic answers such as safe, lightweight, strong, nice...</p> <p>Any other valid response</p>
1(b)	Accept drawings of any two – use of locked drawer, opening cupboard door with hasp and staple, integrated key pad system, secret button/locking system, separate box detachable from main construction. [2 × 2]	4	<p>Maximum of 2 marks for each: Appropriate methods – 1 mark Clear drawing – 1 mark</p> <p>Any other valid response</p> <p>Both methods on one drawing is acceptable.</p> <p>‘Covered/enclosed’ but not secure = 1 mark</p>
1(c)	<p>Any three suitable ideas.</p> <p>Award up to 6 marks for communication of ideas using the ‘Communication of ideas’ table.</p> <p>Award up to 6 marks for suitable designs using the ‘Suitable designs’ table.</p>	12	At least three different ideas for maximum marks. Pro rata if fewer.

Question	Answer	Marks	Guidance
1(d)	Award up to 6 marks for evaluation of the ideas: Evaluation [2 × 3] e.g. Advantage + disadvantage explained for each idea Selection [1] Justification [1]	8	Simple repeats of same points for each idea not rewarded. Specific not generic justification. Award maximum marks if only either advantage or disadvantage given for each as long as includes sophisticated reasoning. Not just description of the product
1(e)	Award up to 4 marks for quality of drawing using the 'Quality of drawing' table. Award up to 2 marks for dimensions : 2 or 3 overall dimensions only – 1 mark Additional detail dimensions – 1 mark Award up to 6 marks for construction detail using the 'Construction details' table.	12	Additional detail dimensions might show thickness of materials, diameters, etc.
1(f)	Accept any two suitable specific materials. [1 × 2] Accept any appropriate reason for choice of each material [1 × 2]	4	Each suitable specific material – 1 mark Generic terms such as wood, metal, plastic not accepted. Appropriate reason for each material – 1 mark Materials must be appropriate for the design shown in (e)

Question	Answer	Marks	Guidance
1(g)	Accept any suitable manufacturing process. [1 × 1]	1	Process must be appropriate for design in (e).
	Award up to 3 marks for description of process.	3	Detailed description for 3 marks
	Award up to 2 marks for names of tools, equipment of machines used.	2	Basic marking out tools, such as pencil or rule, or just drawings of tools/equipment = 1 mark only Not materials or resources such as PVA, glasspaper, screws...

Question	Answer	Marks	Guidance
OR			
2(a)	Accept any four additional specification points – any additional safety points – e.g. choking hazard, good fixing of parts, easy to clean, attractive to the eye – baby theme, sparkle or reflecting materials. Overall theme and information about what is attractive to babies, size, fixing to table, non-toxic materials, recyclable, easy to assemble, safe (qualified), durable...[1 × 4]	4	<p>Each specification point – 1 mark No repeats from question – entertain babies when in a cot/awake, uses lightweight materials, uses colour and/or shapes to interest a baby, out of reach of the baby...</p> <p>Only accept unqualified or one word answers if relevant to this specific design problem such as cleanable (easy to clean), hygienic, recyclable...</p> <p>Do not generic answers such as safe (must be qualified), lightweight, strong, portable, compact, nice...</p> <p>Any other valid response</p>
2(b)	Accept drawings of any two methods using lightweight materials which show how they can be joined together. E.g. folded, glued, double sided tape, stapled, interlocking, Velcro, hand-stitched, sewn by machine, use of elastic bands. [2 × 2]	4	<p>Maximum of 2 marks for each drawing: Feature – 1 mark Clear drawing – 1 mark</p> <p>Any other valid response</p> <p>Both methods on one drawing is acceptable.</p>

Question	Answer	Marks	Guidance
2(c)	<p>Any three suitable ideas.</p> <p>Award up to 6 marks for communication of ideas using the ‘Communication of ideas’ table.</p> <p>Award up to 6 marks for suitable designs using the ‘Suitable designs’ table.</p>	12	At least three different ideas for maximum marks. Pro rata if fewer.
2(d)	<p>Award up to 6 marks for evaluation of the ideas:</p> <p>Evaluation [2 × 3] e.g. Advantage + disadvantage explained for each idea</p> <p>Selection [1] Justification[1]</p>	8	<p>Simple repeats of same points for each idea not rewarded. Specific not generic justification.</p> <p>Award maximum marks if only either advantage or disadvantage given for each as long as includes sophisticated reasoning. Not just description of the product</p>
2(e)	<p>Award up to 4 marks for quality of drawing using the ‘Quality of drawing’ table.</p> <p>Award up to 2 marks for dimensions: 2 or 3 overall dimensions only – 1 mark Additional detail dimensions – 1 mark</p> <p>Award up to 6 marks for construction detail using the ‘Construction details’ table.</p>	12	Additional detail dimensions might show thickness of materials, diameters, etc.
2(f)	<p>Accept any two suitable specific materials. [1 × 2]</p> <p>Accept any appropriate reason for choice of each material [1 × 2]</p>	4	<p>Each suitable specific material – 1 mark Generic terms such as wood, metal, plastic not accepted.</p> <p>Appropriate reason for each material – 1 mark Materials must be appropriate for the design shown in (e)</p>

Question	Answer	Marks	Guidance
2(g)	Accept any suitable manufacturing process. [1 × 1]	1	Process must be appropriate for design in (e).
	Award up to 3 marks for description of process.	3	Detailed description for 3 marks
	Award up to 2 marks for names of tools, equipment or machines used.	2	Basic marking out tools, such as pencil or rule, or just drawings of tools/equipment = 1 mark only Not materials or resources such as PVA, glasspaper, screws...

Question	Answer	Marks	Guidance
OR			
3(a)	Accept any four additional specification points – safety issues related to electricity – considerations of use of batteries and or LED's using low voltage, types of approach to articulation/movement, consideration of amount of light and where it should shine, stability – especially if floor mounted, young person's theme in the design, consideration of colours types of material to add interest, type of lamp base (stability), light shade, safe (must be qualified), means of switching on/off...[1 × 4]	4	Each specification point – 1 mark No repeats from question – desk or wall mounted light, used in a bedroom, used at a desk, adjusted to different positions, suit young person... Only accept unqualified or one word answers if relevant to this specific design problem such as stable, energy efficient... Do not generic answers such as safe, lightweight, strong, nice... Any other valid response

Question	Answer	Marks	Guidance
3(b)	Accept drawings of any two methods – use of thumb screw, use of balance weights or springs for tension, slider with screw lock approach, adjustable/bendable coil construction. Friction built into joints/overall frame. [2 × 2]	4	Maximum of 2 marks for each drawing: Mechanism – 1 mark Clear drawing – 1 mark Any other valid response Both methods on one drawing is acceptable.
3(c)	Any three suitable ideas. Award up to 6 marks for communication of ideas using the ‘Communication of ideas’ table. Award up to 6 marks for suitable designs using the ‘Suitable designs’ table.	12	At least three different ideas for maximum marks. Pro rata if fewer.
3(d)	Award up to 6 marks for evaluation of the ideas: Evaluation [2 × 3] e.g. Advantage + disadvantage explained for each idea Selection [1] Justification[1]	8	Simple repeats of same points for each idea not rewarded. Specific not generic justification. Award maximum marks if only either advantage or disadvantage given for each as long as includes sophisticated reasoning. Not just description of the product
3(e)	Award up to 4 marks for quality of drawing using the ‘Quality of drawing’ table. Award up to 2 marks for dimensions : 2 or 3 overall dimensions only – 1 mark Additional detail dimensions – 1 mark Award up to 6 marks for construction detail using the ‘Construction details’ table.	12	Additional detail dimensions might show thickness of materials, diameters, etc.

Question	Answer	Marks	Guidance
3(f)	Accept any two suitable specific materials. [1 × 2] Accept any appropriate reason for choice of each material [1 × 2]	4	Each suitable specific material – 1 mark Generic terms such as wood, metal, plastic not accepted. Appropriate reason for each material – 1 mark Materials must be appropriate for the design shown in (e)
3(g)	Accept any suitable manufacturing process. [1 × 1]	1	Process must be appropriate for design in (e) .
	Award up to 3 marks for description of process.	3	Detailed description for 3 marks
	Award up to 2 marks for names of tools, equipment or machines used.	2	Basic marking out tools, such as pencil or rule, or just drawings of tools/equipment = 1 mark only Not materials or resources such as PVA, glasspaper, screws...